

# ON BEHAVIORAL COMPLEMENTARITY AND ITS IMPLICATIONS

CHRISTOPHER P. CHAMBERS, FEDERICO ECHENIQUE, AND ERAN SHMAYA

ABSTRACT. We study the behavioral definition of complementary goods: if the price of one good increases, demand for a complementary good must decrease. We obtain its full implications for observable demand behavior (its testable implications), and for the consumer's underlying preferences. We characterize those data sets which can be generated by rational preferences exhibiting complementarities. In a model in which income results from selling an endowment (as in general equilibrium models of exchange economies), the notion is surprisingly strong and is essentially equivalent to Leontief preferences. In the model of nominal income, the notion describes a class of preferences whose extreme cases are Leontief and Cobb-Douglas respectively.

---

We thank Larry Epstein, John Quah, and audiences at various seminars and conferences for comments. We are also grateful to Bart Lipman and two anonymous referees for their comments. Chambers and Echenique are affiliated with the Division of the Humanities and Social Sciences, California Institute of Technology, Pasadena CA 91125. Shmaya is affiliated with the Kellogg School of Management at Northwestern University, 2001 Sheridan Road, Evanston, IL 60208-2001. Emails: [chambers@hss.caltech.edu](mailto:chambers@hss.caltech.edu) (Chambers), [fede@caltech.edu](mailto:fede@caltech.edu) (Echenique), and [e-shmaya@kellogg.northwestern.edu](mailto:e-shmaya@kellogg.northwestern.edu) (Shmaya).

## CONTENTS

1. Introduction	3
1.1. Illustration of results.	6
1.2. Historical Notes.	9
2. Statement of Results	11
2.1. Preliminaries	11
2.2. Results	13
2.3. Discussion and remarks	14
2.4. Many-good environments	17
3. A geometric intuition for Theorem 1.	17
4. Proof of Theorem 3	21
5. Proof of Theorem 1	22
5.1. Preliminaries	22
5.2. The conditions are necessary	24
5.3. The conditions are sufficient	25
5.4. Proof of Theorem 2	35
References	35

## 1. INTRODUCTION

We study the behavioral notion of complementarity in demand (which we refer to throughout simply as *complementarity*): when the price of one good decreases, demand for a complementary good increases.

We obtain the full implications of complementarity both for observable demand behavior (its testable implications) and for the underlying preferences. In the former exercise, we characterize all finite sets of price-demand pairs consistent with complementarity. The latter exercise characterizes the class of preferences generating complementarity.

The complementarity property we discuss is inherently a property of two goods. As such, it is natural and widely used. However, it is not intended to be a reasonable notion of complementarity for any arbitrary collection of goods. Indeed, with three goods, goods which our *intuition* suggest should be complements may not be according to the definition. Samuelson (1974) gives the example of coffee, tea, and sugar. It is reasonable to suspect that for many individuals, either pair of goods, coffee and sugar, or tea and sugar, will behave as complements when considered independently of the third good. Suppose consumers make decisions involving all three goods. It is possible that, informally speaking, sugar may be “more complementary” with coffee than tea. Hence, a reduction in the price of tea may lead to a decrease in the consumption of sugar, and a corresponding decrease in the consumption of coffee. In other words—our definition does not apply to three good environments and *it is not meant to apply*. Of course, it is unsurprising that the presence of a third good can have confounding effects in demand for the other two goods. Therefore, the example is by no means pathological, and merely speaks to the fact that the notion we discuss is inherently a binary notion.

The preceding does not suggest that our results are useless in a multi-good world. In fact, if we fix any two goods, we may consider a “reduced” demand for those two goods alone simply by fixing prices of those two goods and looking at the total wealth spent on them. This reduced demand is well-defined and generated from

a rational preference when the underlying preferences are “functionally,” or weakly separable. We have empirical tests which tell us exactly when observed demands over an arbitrary commodity space satisfies functional separability (see Varian (1983)). In this case, it is without loss of generality to consider the reduced “two-good” demand function. The other natural method of reducing a collection of many goods to a two-good problem is by considering the notion of Hicksian aggregation (by assuming fixed relative prices). Thus, if we want to test whether or not meat is complementary to wine, we can consider “meat” and “wine” as composite goods. This is done by fixing relative prices between different meats and between different wines, and letting the relative price of meat and wine vary.<sup>1</sup>

Separability and aggregation are strong assumptions, but they are inevitable in empirical applications of consumer demand theory. Deaton and Muellbauer (1980) argue that actual consumer problems involve many tradeoffs: intertemporal allocation of consumption; decisions on risky prospects; choices among durable and non-durable goods; and choices between leisure and work in the present and in the future. Deaton and Muellbauer argue that these tradeoffs may interact, and that the resulting problem will typically be intractable for the economists who attempt to describe consumer behavior. They write: “it is important to find ways in which the problem can be simplified, either by aggregation so that whole categories can be dealt with as single units, or by separation, so that the problem can be dealt with in smaller, more manageable units.” As a consequence, all of Part II of Deaton and Muellbauer’s book deals with separability and aggregation. An example of this problem is in Deaton’s (1974) classical study of consumer demand in the UK, where he works with 9 goods; there are many other studies of consumer demand with similar numbers.

---

<sup>1</sup>See Varian (1992) for an exposition of the relevant theory of Hicks composite goods, and Epstein (1981) for general results in this line. Additional assumptions guaranteeing that some type of commodity aggregation of the two described are quite standard in applied demand analysis (see, e.g. Lewbel (1996) for a discussion).

With respect to the study of complementarity, the standard practice is to aggregate into a small set of goods and estimate cross-elasticities in a linear demand function specification. The test for complementarities is then a test for the sign of the cross-elasticities: this is a two-good exercise in the same sense that ours is, but with the additional complication that the additive demand and parametric assumptions are hard to justify.”

The complementarity property, which we call “behavioral” to emphasize that demand, not preference, is primitive, is a classical notion. It is the notion taught in Principles of Economics textbooks (e.g. McAfee (2006), Stiglitz and Walsh (2003) and Krugman and Wells (2006)) and Intermediate Microeconomics textbooks (e.g. Nicholson and Snyder (2006), Jehle and Reny (2000), and Varian (2005)). It is a crucial property in applied work: marketing researchers test for complementarities among products they plan to market; managers’ pricing strategy takes a special form when they market complementary goods; regulatory agencies are interested in complements for their potential impact on competitive practices; complementarity is relevant for decisions on environmental policies; complementary goods receive a special treatment in the construction of price indexes; complementary export goods are important in standard models of international trade, etc. etc. The literature on applications of complementarity is too large to review here.

Yet, the notion discussed here has received surprisingly little theoretical attention. The general testable implications of complementarity were, until now, unknown. In many applications, one needs to decide empirically whether two goods are complements. Hence, a test which can falsify complementarity is both useful and important. Empirical researchers’ tests typically estimate cross-partial elasticities in highly parametric models. However, such an exercise actually jointly tests several hypotheses. In contrast, we elicit the complete testable implications of complementarity in a general framework.

Our model is one in which consumers are endowed with a nominal income. We provide a necessary and sufficient condition for expenditure data to be consistent

with the rational maximization of a preference which exhibits complementarity in demand.

We also characterize the class of preferences that generate complementarity. Complementarity effectively requires that demand be monotonic with respect to set inclusion of budgets (and hence normal). In addition, complementarity in this model automatically implies rationalizability by an upper semicontinuous, quasi-concave utility function—a consequence of the continuity of demand (which is itself an implication of complementarity). Within the class of smooth rationalizations, complementarity is characterized by a bound on the percentage change in the marginal rate of substitution with respect to a change in either commodity. Cobb-Douglas preferences are exactly those preferences meeting this bound.

Obviously, there are environments where we would expect that two goods are complements for some set of prices, but may not be otherwise.<sup>2</sup> Consider two goods: ham and cheese. At very high prices, when an individual simply needs nourishment in order to keep from starving, these two goods are likely to function as substitutes rather than complements. However, as prices become lower; it is likely they function as complements. We can therefore imagine an *exogenous* list of prices  $\mathcal{P}$ ; this set of prices has the feature that if  $p \in \mathcal{P}$  and  $p' \leq p$ , then  $p' \in \mathcal{P}$  (we will say that it is comprehensive). Our exercise is then to test whether or not both goods function as complements for prices in  $\mathcal{P}$ . We provide a test of this hypothesis (more specifically the joint hypothesis including the hypothesis that the agent is rational). The test; however, is not a complete test. That is, we provide necessary conditions that data must satisfy in order to be compatible with the hypothesis; we do not know if the conditions are also sufficient.

**1.1. Illustration of results.** We illustrate and discuss graphically some of our results. See Section 2 for the formal statements.

Consider Figure 1(a), which depicts a hypothetical observation of demand  $x = (x_1, x_2)$  at prices  $p = (p_1, p_2)$ . Figure 1(a) illustrates the notion of complementarity:

---

<sup>2</sup>This paragraph and discussion is motivated by observations and suggestions by Bart Lipman.




FIGURE 1. When is observed demand consistent with complementarity?.

goods 1 and 2 are complements if, when we decrease the price of one good, demand for the other good increases. In the figure, complementarity requires that demand at the dotted budget line involves more of both goods. Note that we are assuming no Giffen goods, which is implied by normal demand. Symmetrically, a decrease in the price of good 2 would also imply a larger demanded bundle.

Given Figure 1(a), one may think that the testable implications of complementarity amount to verifying that, whenever one finds two budgets like the ones in the figure, one demand is always higher than the other. Consider then Figure 1(b), where one budget is not larger than another. Are the observed demands of  $x$  at prices  $p$ , and  $x'$  at  $p'$ , consistent with demand complementarity? The answer is negative, as can be seen from Figure 2(a): the larger budget drawn with a dotted line is obtained from either of the  $p$  or  $p'$  budgets by making exactly one good cheaper. So it would need to generate a demand larger than both  $x$  and  $x'$ , which is not possible.

Figure 2(b) shows a condition on  $x$  and  $x'$  which is necessary for complementarity: the pointwise maximum of demands,  $x \vee x'$ , must be affordable for any budget larger than the  $p$  and  $p'$  budgets. Since there is a smallest larger budget, the least upper bound on the space of budgets (the dotted-line budget), we need  $x \vee x'$  to be affordable at the least upper bound of the  $p$  and  $p'$  budgets.




FIGURE 2. Observed demands.

Since demand is homogeneous of degree zero, we can normalize prices and incomes so that income is 1. Then the least upper bound of the  $p$  and  $p'$  budgets is the budget obtained with income 1 and prices  $p \wedge p'$ , the component-wise minimum price. The necessary condition in Figure 2(b) is that  $(x \vee x') \cdot (p \wedge p') \leq 1$ .

There is a second necessary condition. Consider the observed demands in Figure 2(c). This is a situation where, when we go from  $p$  to  $p'$ , demand for the good that gets cheaper decreases while demand for the good that gets more expensive increases. This is not in itself a violation of either complementarity or the absence



of Giffen goods. However, consider Figure 2(d): were we to increase the budget from  $p$  to the dotted prices, complementarity would imply a demand at the dotted prices that is larger than  $x$ . But no point in the dotted budget line is both larger than  $x$  and satisfies the weak axiom of revealed preference (WARP) with respect to the choice of  $x'$ .

So a simultaneous increase in one price and decrease in another cannot yield opposite changes in demand. This property is a strengthening of WARP: Fix  $p$ ,  $p'$  and  $x$  as in Figure 2(c). Then WARP requires that  $x'$  not lie below the point where the  $p$  and  $p'$  budget lines cross. Our property requires that  $x'$  not lie below the point on the  $p'$ -budget line with the same quantity of good 2 as  $x$ . In fact, this property is implied by either of the two following sets of conditions: *i*) rationalizability and the absence of Giffen goods or *ii*) rationalizability and normal demand.

We show (Theorem 1 of Section 2) that the two necessary properties, the  $(x \vee x') \cdot (p \wedge p')$  property in Figure 2(b) and the strengthening of WARP, are also sufficient for a complementary demand. That is: given a finite collection of observed demands  $x$  at prices  $p$ , these could come from a demand function for complementary goods if and only if any pair of observations satisfies the two properties. Thus, the two properties constitute a non-parametric test for complementary goods, in the spirit of the revealed-preference tests of Samuelson (1947) and Afriat (1967).<sup>3</sup>

**1.2. Historical Notes.** Before proceeding, we discuss briefly the history of the theory of complementary goods. Much of this discussion is borrowed from Samuelson (1974), which serves as an excellent introduction to the topic.

The first notion of complementary goods is that formulated by Edgeworth and Pareto on introspective grounds (Samuelson, 1974). They believed that if two goods were complementary, then the marginal utility of the consumption of either good

---

<sup>3</sup>See Varian (1982) for an exposition and further results. Matzkin (1991) and Forges and Minelli (2008) discuss more general sets of data. Brown and Calsamiglia (2007) present a test for quasi-linear utility.

should be increasing in the consumption of the other good. This is an intuitively appealing definition based on preferences, not behavior; however, it clearly depends on cardinal utility comparisons. Hicks and Allen (1934), Hicks (1939) and Samuelson (1947) recognized this, and suggested that as a local measure of complementarity, it was useless. Milgrom and Shannon (1994) established that, despite not being an ordinal notion, the Edgeworth Pareto definition does in fact have ordinal implications.

Chambers and Echenique (2008) on the other hand, showed that this notion has no implications for observed demand behavior, when the observations are finite: Any finite data set is either non-rationalizable (and violates the strong axiom of revealed preference) or it is rationalizable by a utility function satisfying the Edgeworth/Pareto notion of complementarity.

The primary criticism of our definition of complementarities (some times called “gross complementarities”) is that it can be “asymmetric” in a sense. It is possible that raising the price of good one leads to an increase in consumption of good two, while raising the price of good two leads to a decrease in consumption of good one. This asymmetry led Hicks (1939) and other early researchers to take interest in other notions. Hicks and Allen (1934) developed a theory of complementarity of demand based on compensated price changes. The type of price change considered by Hicks is the following. The price of good one is increased *and* the income of the agent is simultaneously increased just enough to leave the consumer on the same indifference curve. Good one is complementary to good two if a compensated increase in the price of good two leads to a lower consumption of good one. It is well-known that with such a definition, good one is complementary to good two if and only if good two is complementary to good one. Samuelson suggests that Hicks’ notion best defense is the fact that it can be defined for any number of goods, and is symmetric (Samuelson, 1974, p. 1284).

Our definition has an appealing feature that the Hicks definition does not have. With the Hicks definition, for two good environments, *all goods are economic substitutes by necessity*. This is a consequence of downward sloping indifference curves—requiring both goods to be complements essentially results in generalized Leontief preferences. Thus, the definition does not allow for a meaningful study of complementarity in what is arguably a very natural framework for discussing the concept. In contrast, with our definition (in the nominal income model), goods are both complements and substitutes if and only if preferences are Cobb-Douglas. Finally, compensated price changes present a challenge from the empirical perspective we adopt in this paper: compensated demand changes are unlikely to be observed in real data. In other words, it is unclear what observable phenomena in the real world correspond to compensated price changes. The notion of complementarity we adopt is the only purely behavioral notion.

To sum up, we study the standard textbook-notion of complementarity of demand. We avoid the criticism of asymmetry simply by specifying from the outset that two goods are complementary if a change in price in either good leads to consumption changing in the same direction for both goods.

## 2. STATEMENT OF RESULTS

**2.1. Preliminaries.** Let  $\mathbb{R}_+^2$  be the domain of consumption bundles, and  $\mathbb{R}_{++}^2$  the domain of possible prices. Note that we assume two goods, see the Introduction and Section 2.4 for how one applies our results in many-goods environments.

We use standard notational conventions:  $x \leq y$  if  $x_i \leq y_i$  in  $\mathbb{R}$ , for  $i = 1, 2$ ;  $x < y$  if  $x \leq y$  and  $x \neq y$ ; and  $x \ll y$  if  $x_i < y_i$  in  $\mathbb{R}$ , for  $i = 1, 2$ . We write  $x \cdot y$  for the inner product  $x_1y_1 + x_2y_2$ . We write  $x \wedge y$  for  $(\min\{x_1, y_1\}, \min\{x_2, y_2\})$  and  $x \vee y$  for  $(\max\{x_1, y_1\}, \max\{x_2, y_2\})$ . Say that a set  $\mathcal{P} \subseteq \mathbb{R}_+^2$  is *comprehensive* if  $p \in \mathcal{P}$  and  $p' \leq p$  implies that  $p' \in \mathcal{P}$ .

A function  $u : \mathbb{R}_+^2 \Rightarrow \mathbb{R}$  is *monotone increasing* if  $x \leq y$  implies  $u(x) \leq u(y)$ . It is *monotone decreasing* if  $(-u)$  is monotone increasing. It is *strongly monotone increasing* if  $x \ll y$  implies  $u(x) < u(y)$  and it is monotone increasing.

A function  $D : \mathbb{R}_{++}^2 \times \mathbb{R}_+ \rightarrow \mathbb{R}_+^2$  is a *demand function* if it is homogeneous of degree 0 and satisfies  $p \cdot D(p, I) = I$ , for all  $p \in \mathbb{R}_{++}^2$  and  $I \in \mathbb{R}_+$ .

Say that a demand function satisfies *complementarities* if, for fixed  $p_2$  and  $I$ ,  $p_1 \mapsto D_i((p_1, p_2), I)$  is monotone decreasing for  $i = 1, 2$ , and for fixed  $p_1$  and  $I$ ,  $p_2 \mapsto D_i((p_1, p_2), I)$  is monotone decreasing for  $i = 1, 2$ .<sup>4</sup> Fix a closed and comprehensive subset  $\mathcal{P} \subseteq \mathbb{R}_{++}^2$ . A demand function satisfies *local complementarities* if for all  $p \leq p'$  where  $p, p' \in \mathcal{P}$ ,  $D(p', 1) \leq D(p, 1)$ . Local complementarities capture the idea that goods should be complements only when the consumer is not too poor (in real terms).

For all  $(p, I) \in \mathbb{R}_{++}^2 \times \mathbb{R}_+$ , define the *budget*  $B(p, I)$  by  $B(p, I) = \{x \in \mathbb{R}_+^2 : p \cdot x \leq I\}$ . Note that  $B(p, I)$  is compact, by the assumption that prices are strictly positive.

A demand function  $D$  is *rational* if there is a monotone increasing function  $u : \mathbb{R}_+^2 \rightarrow \mathbb{R}$  such that

$$(1) \quad D(p, I) = \operatorname{argmax}_{x \in B(p, I)} u(x).$$

In that case, we say that  $u$  is a *rationalization of* (or that it *rationalizes*)  $D$ . Note that  $D(p, I)$  is the unique maximizer of  $u$  in  $B(p, I)$ .

A demand function satisfies *the weak axiom of revealed preference* if  $p \cdot D(p', I') > I$  whenever  $p' \cdot D(p, I) < I'$  (with two goods, the weak axiom is equivalent to the strong axiom of revealed preference).<sup>5</sup>

<sup>4</sup>This is equivalent to the notion that if  $p' \leq p$ , then  $D(p) \leq D(p')$ . Formally, we may require the weaker statement that  $D_2((p_1, p_2), I)$  is weakly monotone decreasing in  $p_1$  and that  $D_1((p_1, p_2), I)$  is weakly monotone decreasing in  $p_2$ . That is, none of our results would change if we allowed for the theoretical possibility of Giffen goods (they will be ruled out anyhow).

<sup>5</sup>Our version of the weak axiom is equivalent to the more standard definition:  $p \cdot D(p', I') \leq I$  and  $D(p, I) \neq D(p', I')$  implies that  $p' \cdot D(p, I) > I$ . The equivalence of the strong and weak axioms was first shown by Rose (1958).

**2.2. Results.** We shall use homogeneity to regard demand as only a function of prices:  $D(p, I) = D((1/I)p, 1)$ , so we can normalize income to 1. In this case, we regard demand as a function  $D : \mathbb{R}_{++}^2 \rightarrow \mathbb{R}_+^2$  with  $p \cdot D(p) = 1$  for all  $p \in \mathbb{R}_{++}^2$ .

A *partial demand function* is a function  $D : P \rightarrow \mathbb{R}_+^2$  where  $P \subseteq \mathbb{R}_{++}^2$  and  $p \cdot D(p) = 1$  for every  $p \in P$ ;  $P$  is called *the domain* of  $D$ . So a demand function is a partial demand function whose domain is  $\mathbb{R}_{++}^2$ . The concept of the partial demand function allows us to study finite demand observations. We imagine that we have observed demand at all prices in  $P$  (see e.g. Afriat (1967), Diewert and Parkan (1983) or Varian (1982)).

**Theorem 1** (Observable Demand). *Let  $P$  be a finite subset of  $\mathbb{R}_{++}^2$  and let  $D : P \rightarrow \mathbb{R}_+^2$  be a partial demand function. Then  $D$  is the restriction to  $P$  of a rational demand that satisfies complementarity if and only if for every  $p, p' \in P$  the following conditions are satisfied*

- (1)  $(p \wedge p') \cdot (D(p) \vee D(p')) \leq 1$ .
- (2) If  $p' \cdot D(p) \leq 1$  and  $p'_i > p_i$  for some product  $i \in \{1, 2\}$  then  $D(p')_j \geq D(p)_j$  for  $j \neq i$ .

The following theorem gives several topological implications of rationalizability.

**Theorem 2** (Continuity). *Let  $D : \mathbb{R}_{++}^2 \rightarrow \mathbb{R}_+^2$  be a rationalizable demand function which satisfies complementarity. Then  $D$  is continuous. Furthermore,  $D$  is rationalized by an upper semicontinuous, quasiconcave, strongly monotone increasing utility function.*

Theorem 3 requires demand to be rationalized by a twice continuously differentiable ( $C^2$ ) function  $u$ . We write

$$m(x) = \frac{\partial u(x)/\partial x_1}{\partial u(x)/\partial x_2}$$

to denote the *marginal rate of substitution* of  $u$  at an interior point  $x$ .

**Theorem 3** (Smooth Utility). *Let  $D$  be a rational demand function with interior range and a monotone increasing,  $C^2$ , and strictly quasiconvex rationalization  $u$ .*

Then  $D$  satisfies complementarity if and only if the marginal rate of substitution  $m$  associated to  $u$  satisfies

$$\frac{\partial m(x)/\partial x_1}{m(x)} \leq \frac{-1}{x_1} \quad \text{and} \quad \frac{\partial m(x)/\partial x_2}{m(x)} \geq \frac{1}{x_2}.$$

**Theorem 4** (Local Complementarities). *Let  $D$  be a rational demand function which satisfies local complementarities and let  $P \subseteq \mathbb{R}_{++}^2$  be a finite set of prices. Then the following conditions are satisfied:*

- (1) For all  $p, p' \in P$  for which  $p, p' \in \mathcal{P}$ ,  $(p \wedge p') \cdot (D(p) \vee D(p')) \leq 1$ .
- (2) For all  $p, p' \in P$  for which  $p, p' \in \mathcal{P}$ , if  $p' \cdot D(p) \leq 1$  and  $p'_i > p_i$  for some product  $i \in \{1, 2\}$  then  $D(p')_j \geq D(p)_j$  for  $j \neq i$ .
- (3) For all  $p, p' \in P$ , if  $p \cdot D(p') \leq 1$ , then  $p' \cdot D(p) > 1$ .

**2.3. Discussion and remarks.** The following observations are of interest:

- (1) Theorem 1 derives the testable implications of complementarity. With expenditure data (as in, e.g., Afriat (1967)), it should be straightforward to verify Conditions 1 and 2 in the theorem.
- (2) An interesting property implied by condition (1) is the following. Suppose that  $p'_i < p_i$  and  $p'_j \geq p_j$ . Then  $p_i D_i(p) \geq p'_i D_i(p')$ . Thus, if the price of good  $i$  falls and the price of good  $j$  weakly increases, then expenditure on good  $j$  weakly decreases.<sup>6</sup> To see why this is true, note that by (1),  $p'_i D_i(p') + p_j D_j(p) \leq 1$ , and by assumption,  $p_i D_i(p) + p_j D_j(p) = 1$ .
- (3) Property 2 of Theorem 1 follows from the weak axiom of revealed preference and the monotonicity in own price (absence of Giffen goods, see the discussion in the introduction).
- (4) The conditions in Theorem 3 are statements about the elasticities of the marginal rate of substitution; for example,  $\frac{\partial m(x)/\partial x_1}{m(x)}$  is the elasticity of the marginal rate of substitution with respect to  $x$ . The elasticities are a measure of the curvature of the consumer's utility. For the case when utility is Cobb-Douglas,  $\frac{\partial m(x)/\partial x_1}{m(x)} = \frac{-1}{x_1}$  and  $\frac{\partial m(x)/\partial x_2}{m(x)} = \frac{1}{x_2}$ . So the conditions in the

---

<sup>6</sup>This property and observation were suggested to us by an anonymous referee.

theorem hold with equality when utility is Cobb-Douglas; thus the result is a statement about how the curvature of indifference curves compare with the Cobb-Douglas utility.

- (5) The proof of Theorem 4 follows from similar ideas to the proof of Theorem 1 and is hence omitted. It should be noted that 3 is simply the weak axiom of revealed preference.

Theorem 1 implies that a partial demand satisfying (1) and (2) is rationalizable by a monotone increasing, upper semicontinuous, utility. One may want the rationalizing utility to be in addition continuous, Example 1 shows that complementarity does not imply rationalization by a continuous utility. It is interesting to note here that Richter (1971) and Hurwicz and Richter (1971) present results on the existence of monotone increasing and continuous rationalizations, but require the range of demand to be convex. Demand in Example 1 has non-convex range.

*Example 1.* Consider the following utility

$$u(x_1, x_2) = \begin{cases} \min\{x_1, x_2\}, & \text{if } \min\{x_1, x_2\} < 1 \\ x_1 \cdot x_2, & \text{if } x_1, x_2 \geq 1. \end{cases}$$

So  $u$  behaves like a Leontief preference when  $\min\{x, y\} < 1$  and Cobb-Douglas otherwise. In other words, if the consumer cannot afford to buy at least 1 from both products then she buys the same amount from each product. Otherwise, she spends half of her money on each product, making sure to buy at least 1 from each. The demand generated by this preference relation is given by

$$D(p_x, p_y) = \begin{cases} (1/(p_x + p_y), 1/(p_x + p_y)), & \text{if } p_x + p_y \geq 1 \\ (1/(2p_x), 1/(2p_y)), & \text{if } p_x, p_y \leq 1/2 \\ (1, (1 - p_x)/p_y), & \text{if } p_y \leq 1/2 \text{ and } 1/2 \leq p_x \leq 1 - p_y \\ ((1 - p_y)/p_x, 1), & \text{if } p_x \leq 1/2 \text{ and } 1/2 \leq p_y \leq 1 - p_x \end{cases}$$

and let  $D$  be the corresponding demand function. It is easy to verify that  $D$  is monotone. So  $D$  is continuous by Lemma 5.15.

However  $D$  cannot be rationalized by a continuous utility function. Indeed, assume that  $v$  is a utility that rationalizes  $D$ . Then for every  $\epsilon > 0$  we have  $v(1 - \epsilon, 3) < v(1, 1)$ , Since  $(1, 1)$  is revealed prefer to  $(1 - \epsilon, 3)$ : If  $p = (1 - \eta, \eta)$  for small enough  $\eta$  then  $D(p) = (1, 1)$  and  $(1 - \epsilon, 3) \in L(p)$ . On the other hand  $v(1, 3) > v(1, 1)$  since  $(1, 3)$  is revealed preferred to  $(1, 1)$ : If  $p = (1/2, 1/6)$  then  $D(p) = (1, 3)$  and  $(1, 1) \in L(p)$ . Therefore  $v$  cannot be continuous.

Discussions of complementarity are often centered around the elasticity of substitution (Samuelson, 1974). In addition, Fisher (1972) presents a characterization of the gross substitutes property in terms of elasticities. The following corollary to Theorem 3 may be of interest.

Let  $D$  be differentiable, in addition to the hypotheses of Theorem 3. Let  $\eta_i(p, I)$  be the own-price elasticity, and  $\theta_i(p, I)$  be the cross elasticity, of demand for good  $i$ ; i.e.

$$\eta_1(p, I) = \frac{\partial D_1(p, I)}{\partial p_1} \frac{p_1}{D_1(p, I)} \quad \theta_1(p, I) = \frac{\partial D_1(p, I)}{\partial p_2} \frac{p_2}{D_1(p, I)}.$$

**Corollary 1.** *If  $D$  satisfies complementarity, then, for  $i = 1, 2$ ,*

$$\frac{\eta_i(p, I) + \theta_i(p, I)}{\eta_1(p, I)\eta_2(p, I) - \theta_1(p, i)\theta_2(p, i)} \leq -1.$$

Finally, we consider the case of additive separability.

**Corollary 2.** *Suppose the hypotheses of Theorem 3 are satisfied, and in addition, suppose that  $u(x, y) = f(x) + g(y)$ . Then complementarity is satisfied if and only if*

$$\frac{f''(x)}{f'(x)} \leq -\frac{1}{x}, \quad \frac{g''(x)}{g'(x)} \leq -\frac{1}{x}.$$

Therefore, an additively separable utility satisfies complementarity if and only if each of its components are more concave than the natural logarithm. This result is essentially in Wald (1951), for the case of gross substitutes (Varian (1985) clarifies this issue and presents a different proof; the appendix to Quah (2007) has a proof for the non-differentiable case). For a function  $f : \mathbb{R}_+ \rightarrow \mathbb{R}$ , the number

$$-\frac{f''(x)}{f'(x)}$$



is often understood as a local measure of curvature at the point  $x$ . In particular, one can demonstrate that for subjective expected utility, when  $u(x, y) = \pi_1 U(x) + \pi_2 U(y)$ , complementarity is satisfied if and only if the rate of relative risk aversion is greater than one. It may be of interest to compare this with Quah's (2003) result that the "law of demand" is, in this case, equivalent to the rate of risk aversion never varying by more than four.

**2.4. Many-good environments.** We work with a two-good model, but our results are applicable in an environment with  $n$  goods by using standard results on aggregation and/or assuming functional (or weak) separability. See also the discussion in the Introduction.

Aggregation requires assuming constant relative prices. Imagine testing if wine and meat are complements; one could use a data set where the relative prices of, say, beef and pork, and Bordeaux and Burgundy, have not changed. Then, changes in the consumption and prices of meat and wine aggregates can be used to test for complementarities using our results.

Independence is the assumption that preferences over  $x_1$  and  $x_2$ , for example, are independent of the consumption of goods  $(x_3, \dots, x_n)$ . In this case, the demand for goods  $(x_1, x_2)$  given prices  $(p_1, \dots, p_n)$  and income  $I$  depends only on prices  $(p_1, p_2)$  and the share  $I - \sum_{j=3}^n p_j x_j$  left for spending on  $(x_1, x_2)$ . With data on prices and consumption of goods 1 and 2 (as in Section 2.2), our results provide a test for complementarities between 1 and 2 using the expenditure on goods 1 and 2 as income (as it equals  $I - \sum_{j=3}^n p_j x_j$ ).

See Chapter 9.3 in Varian (1992) for an exposition of independence and aggregation.

### 3. A GEOMETRIC INTUITION FOR THEOREM 1.

The proof of Theorem 1 assumes that we have observed a finite set  $P$ , and a function  $D$ , defined on  $P$ . The question is then one of *extension*. That is, does there exist a demand function  $D^*$  on all of  $\mathbb{R}_{++}^2$ , satisfying several intuitive properties,

for which the restriction of  $D^*$  to  $P$  is equal to  $D$ ? A major difficulty in the proof of this statement is the requirement that  $D$  be a demand function, and not a correspondence. This is required as the definition of complementarity presupposes that demand is single-valued.

Suppose then, we have given  $P$ . The way the proof works is fairly simple. We consider some countable (and ordered) dense subset  $Q$  of  $\mathbb{R}_{++}^2$ , which contains  $P$ . We can extend  $D$  to elements of this dense subset sequentially. Note that the conditions 1 and 2, when  $P = \mathbb{R}_{++}^2$ , are equivalent to rationalizability and complementarities. Therefore, our first step is to show that  $D$  can be extended to  $Q$  while preserving Conditions 1 and 2. The trick here is relatively simple: given a finite list  $Q'$  of prices on which  $D$  is defined and satisfies 1 and 2, imagine a new  $p \in \mathbb{R}_{++}^2$  on which we would like to define demand. We simply need to show that there is a possible value  $D(p)$  which is consistent with 1 and 2. What is useful about these conditions is that each of them are *pairwise* conditions. So, we need to verify that there exists  $D(p)$  such that for any  $p$  and any  $q \in Q'$ , the conditions are satisfied. Importantly, for any  $q \in Q'$ , there is a compact interval of possible values of  $D(p)$  which are consistent with Conditions 1 and 2. The trick is then to show that any pair of these intervals has nonempty intersection. It follows from a classical result in convex analysis (Helly's theorem), that the set of all such intervals has nonempty intersection. After extending demand to all prices in  $Q$ , the result will follow from a continuity argument (importantly, a monotonic demand function is continuous).

This proof necessarily requires checking many cases: we are given  $p, p''$  and demand defined for these two prices; Conditions 1 and 2 hold for this pair of demands. We want to verify that we can add demand for a third price  $p'$  and remain consistent with Conditions 1 and 2. There can be many relations between  $p, p'$ , and  $p''$ . Here we present a geometric version of the argument, for one of the special cases we need to cover in the proof.




FIGURE 3. Implications of  $(x, p)$ .

Fix two prices,  $p$  and  $p''$ . We suppose that demands  $x = D(p)$  and  $x'' = D(p'')$  are given. Let  $p'$  be a third price. We want to show that we can extend  $D$  to  $p'$  while respecting properties 1 and 2 with respect to  $p$  and  $p''$ . Figure 3(a) displays  $x$ .

In Figure 3(a) we present the implications of  $x$  for demand  $x' = D(p')$ , if  $x'$  is to satisfy the conditions in the theorem. Compliance with Property 1 requires demand to be below the line  $A-A$ , as the intersection of  $A-A$  with the  $p'$ -budget line gives equality in Property 1. Compliance with Property 2 requires demand to be to the left of  $B-B$ . Hence, the possible  $x'$  are in the bold interval on the  $p'$  budget line.

Consider Figure 3(b), where we introduce prices  $p''$ . Since  $x''$  and  $x$  satisfy properties 1 and 2,  $x''$  must lie below the line  $C-C$  on the  $p''$  budget line. We choose  $x''$  to be *on* the  $C-C$  line; this is the worst case from the viewpoint of finding a  $x' = D(p')$  that satisfies the conditions.

In Figure 4, we represent the implications of  $x$  on  $x''$ , and its indirect implications on the demand at  $p'$ . To make the figure clearer, we do not represent the  $p''$  budget, but we keep the  $C-C$  line. Note that our choice of  $x''$  determines a point on the  $p' \wedge p''$ -budget line: the point where  $C-C$  intersects the  $p' \wedge p''$ -budget line. This point, in turn, determines a point on the  $p'$ -budget line, the point where the  $D-D$




FIGURE 4. Compliance with  $x$  and a “worst case”  $x''$ .

line intersects the  $p'$  budget line; note that, were  $x'$  to lie to the right of  $D-D$ , it would violate Properties 1 with respect to  $x''$ .

To sum up, Property 1 applied to  $(x, p)$  and  $(x'', p'')$  requires that  $x''$  lies below the intersection of  $C-C$  with the  $p''$ -budget line. We chose  $x''$  to lie on  $C-C$ , the worst case. This implies that the position of demand on the  $p'$ -budget line must lie to the left of the intersection with  $D-D$ . Hence  $x''$  determines one possible interval for  $x'$ , namely the interval on the  $p'$  budget line to the left of  $D-D$ . Recall that  $x$  determines the interval below the intersection with  $A-A$ .

Now, the points to the left of  $D-D$  and to the right of  $A-A$  have *exactly one* point in common, as the  $D-D$  and  $A-A$  lines intersect at the same point on the  $p'$  budget line.

It is now easy to see why our choice of  $x''$  was the worst case. Any other choice below the  $C-C$  line would shift the  $D-D$  line to the right, and the intersection of the two intervals would be larger. So, if  $x''$  lies strictly below  $C-C$ , it will require that  $x'$  lies above the projection of  $x''$  on the  $p'$ -line. It is always possible to find such an  $x'$  on the bold segment because in the worst case, when  $x''$  is on the  $C-C$  line, the point on the  $D-D$  line is also on the bold segment.

That  $D$ - $D$  and  $A$ - $A$  should coincide on the  $p'$ -budget line may seem curious at this stage, but it is a result of the special case we are considering. Here, the budget set of  $p'$  is the meet of the budget sets corresponding to prices  $p \wedge p'$  and  $p' \wedge p''$ ; that is  $p' = (p \wedge p') \vee (p' \wedge p'')$ . Let  $y$  and  $z$  be, respectively, the intersection of  $B$ - $B$  with the  $p \wedge p'$  budget line, and of  $C$ - $C$  with the  $p' \wedge p''$  line. Then, *in the case we show in Figure 4*,  $y \vee z$  coincides with  $y$  in the good that is cheaper for  $p'$ , and with  $z$  in the good that is cheaper in  $p''$ . As a result,  $(p' \wedge p'') \cdot (y \vee z) = 1$  says that expenditure on the two cheapest goods adds to 1. But at the same time  $y \wedge z$  coincides with  $y$  in the good that is more expensive for  $p$ , and similarly for  $z$  and  $p''$ . So  $(p \wedge p'') \cdot (y \vee z) = 1$  also says also that the sum of expenditures on the two most expensive goods, when evaluated at prices  $p \vee p''$ , must equal 1. Hence  $(p \vee p'') \cdot (y \wedge z) = 1$ .

#### 4. PROOF OF THEOREM 3

Fix  $\hat{x}$  in the interior of consumption space. Denote by  $\nabla u(x) = \left( \frac{\partial u(x)}{\partial x_1}, \frac{\partial u(x)}{\partial x_2} \right)$ . Note that

$$\hat{x} = D(\nabla u(\hat{x}), \nabla u(\hat{x}) \cdot \hat{x}).$$

Let  $p = \nabla u(\hat{x})$ . We calculate  $p'_1$  such that  $(\hat{x}_1 + \epsilon, \hat{x}_2)$  lies on the budget line for  $(p'_1, p_2)$  with income  $p \cdot \hat{x}$ . So  $p'_1(\hat{x}_1 + \epsilon) + p_2\hat{x}_2 = p_1\hat{x}_1 + p_2\hat{x}_2$ . Conclude

$$\frac{p'_1}{p_2} = \frac{\hat{x}_1}{\hat{x}_1 + \epsilon} m(\hat{x}).$$

The rest of the argument is illustrated in Figure 5. Since  $p'_1 < p_1$ , complementarity implies that  $D(p'_1 p_2, I)$  lies weakly to the northwest of  $(\hat{x}_1 + \epsilon, \hat{x}_2)$  on the budget line. By the strict convexity of  $u$ ,  $u(y) > u(\hat{x}_1 + \epsilon, \hat{x}_2)$  for any  $y$  that lies between  $D(p'_1, p_2, I)$  and  $(\hat{x}_1 + \epsilon, \hat{x}_2)$  on the budget line. Hence, if  $u$  does not achieve its maximum on the budget line at  $(\hat{x}_1 + \epsilon, \hat{x}_2)$ , it is increasing as we move northwest on the budget line. So the product  $\nabla u \cdot v$ , of the gradient of  $u$  with any vector pointing northwest, is nonnegative. This gives  $m(\hat{x}_1 + \epsilon, \hat{x}_2) \leq \frac{p'_1}{p_2}$ , so

$$m(\hat{x}_1 + \epsilon, \hat{x}_2) \leq \frac{\hat{x}_1}{\hat{x}_1 + \epsilon} m(\hat{x}).$$




FIGURE 5. Illustration for the proof of Theorem 3.

Since  $\epsilon > 0$  was arbitrary, and since the two sides of the inequality are equal at  $\epsilon = 0$ , we can differentiate with respect to  $\epsilon$  and evaluate at  $\epsilon = 0$  to obtain

$$\frac{\partial m(\hat{x})}{\partial \hat{x}_1} \frac{1}{m(\hat{x})} \leq \frac{-1}{\hat{x}_1}$$

The proof of the second inequality is analogous.

## 5. PROOF OF THEOREM 1

**5.1. Preliminaries.** For  $p \in \mathbb{R}_{++}^2$  let  $L(p) = \{x \in \mathbb{R}_+^2 \mid p \cdot x = 1\}$ .

$$\text{For } x \in \mathbb{R} \text{ let } \text{sgn}(x) = \begin{cases} 1, & \text{if } x > 0 \\ -1, & \text{if } x < 0. \\ 0, & \text{if } x = 0 \end{cases}$$

The following lemmas are obvious.

**Lemma 5.1.** *Let  $a, b, b' \in \mathbb{R}_+^2$  such that  $a \cdot b = a \cdot b' = 1$ . Then*

- (1)  $\text{sgn}(b_1 - b'_1) \cdot \text{sgn}(b_2 - b'_2) \leq 0$ .
- (2) *If  $a \gg 0$  and  $b \neq b'$  then  $\text{sgn}(b_1 - b'_1) \cdot \text{sgn}(b_2 - b'_2) = -1$ .*

**Lemma 5.2.** *Let  $a, b \in \mathbb{R}^2$  such that  $a \gg 0$  and  $b > 0$ . Then  $a \cdot b > 0$ .*

**Lemma 5.3.** *Let  $a, b, c \in \mathbb{R}^2$  such that  $a \gg 0$ . If  $a \cdot b \leq a \cdot c$  and  $b_i \geq c_i$  for  $i \in \{1, 2\}$  then  $b_j \leq c_j$  for  $j = 3 - i$ .*

For  $p \in \mathbb{R}_{++}^2$  and  $x \in \mathbb{R}_+$  such that  $p_j x \leq 1$  let  $X_i(p, x) = (1 - p_j x)/p_i$  where  $j = 3 - i$ . Then  $X_i(p, x)$  is the  $i$ -th coordinate of the element of  $L(p)$  whose  $j$ -th coordinate is  $x$ . Note that, when  $p, p' \in \mathbb{R}_{++}^2$  and  $p \cdot (x_i, x_j) = 1$ ,  $X_i(p \wedge p', x_j)$  is well defined; this will be a recurrent use of  $X_i$  in the sequel.

**Lemma 5.4.** *Let  $p, p' \in \mathbb{R}_{++}^2$  and  $x, x' \in \mathbb{R}_+$  and  $i \in \{1, 2\}$  such that  $p_j x, p'_j x' \leq 1$ , and let  $j = 3 - i$ . Then*

- (1)  $p_i X_i(p, x) \leq 1$  and  $x = X_j(p, X_i(p, x))$
- (2) If  $p \leq p'$  then  $X_i(p, x') \geq X_i(p', x')$ .
- (3) If  $x' < x$  then  $X_i(p, x') > X_i(p, x)$

**Lemma 5.5.** *If  $p \in \mathbb{R}_{++}^2$  and  $x \in \mathbb{R}_+^2$ ,  $i \in \{1, 2\}$  and  $j = 3 - i$ . Assume that  $p_j x_j \leq 1$ . Then*

- (1)  $p \cdot x \leq 1$  iff  $x_i \leq X_i(p, x_j)$ .
- (2)  $p \cdot x \geq 1$  iff  $x_i \geq X_i(p, x_j)$

Note that Statements 1 and 2 in Lemma 5.5 are not equivalent.

**Lemma 5.6.** *Let  $p, q \in \mathbb{R}_{++}^2$  such that  $q_i \geq p_i$  for some product  $i \in \{1, 2\}$ , and let  $x, y \in L(p)$ . If  $q \cdot y \geq 1$  and  $x_i \geq y_i$  then  $q \cdot x \geq 1$ .*

*Proof.* Since  $x_i \geq y_i$  and  $x_i \leq 1/p_i$  (as  $x_i p_i \leq x \cdot p = 1$ ) it follows that  $x_i = \lambda y_i + (1 - \lambda)1/p_i$  for some  $0 \leq \lambda \leq 1$ . Since  $y \in L(p)$ ,  $\lambda y + (1 - \lambda)e^i \in L(p)$ , where  $e^i \in \mathbb{R}_{++}^2$  is given by  $e^i = 1/p_i$  and  $e^j = 0$  for  $j = 3 - i$ . Then,  $x = \lambda y + (1 - \lambda)e^i$ , as there is only one element of  $L(p)$  with  $i$ -th component  $x_i$ . Therefore

$$q \cdot x \geq \min\{q \cdot y, q \cdot e^i\} = \min\{q \cdot y, q_i/p_i\} \geq 1,$$

as desired. ■

**Lemma 5.7.** *Let  $p, q \in \mathbb{R}_{++}^2$  such that  $q_i > p_i$  for some product  $i \in \{1, 2\}$  and assume that  $q \cdot x \leq 1$  for some  $x \in L(p)$ . Then  $p_j \geq q_j$  for  $j = 3 - i$ .*

*Proof.* If  $p_j < q_j$  then  $q - p \gg 0$  and therefore

$$q \cdot x - p \cdot x = (q - p) \cdot x > 0$$

By Lemma 5.2, but this is a contradiction since  $q \cdot x \leq p \cdot x = 1$ . ■

**5.2. The conditions are necessary.** We now prove that the conditions in Theorem 1 are necessary. Let  $D : \mathbb{R}_{++}^2 \rightarrow \mathbb{R}_+^2$  be a decreasing demand function that satisfies the weak axiom of revealed preference. Let  $p, p' \in \mathbb{R}_{++}^2$ .

To prove that  $D$  satisfies Condition 1 note first that from the monotonicity of  $D$  it follows that

$$(2) \quad D(p) \vee D(p') \leq D(p \wedge p').$$

Therefore

$$(p \wedge p') \cdot (D(p) \vee D(p')) \leq (p \wedge p') \cdot D(p \wedge p') = 1,$$

where the inequality follows from (2) and monotonicity of the scalar product in the second argument.

To prove that  $D$  satisfies Condition 2 assume that  $p' \cdot D(p) \leq 1$  and, say, that  $p'_1 > p_1$ . We want to show that  $D(p')_2 \geq D(p)_2$ . Let  $p'' = \frac{1}{p' \cdot D(p)} p'$ . Then  $p' \leq p''$  and  $p'' \cdot D(p) = 1$ . In particular, it follows from the last equality and the weak axiom of revealed preference that  $p \cdot D(p'') \geq 1$ . Let  $x = D(p)$  and  $x'' = D(p'')$ . Then  $p \cdot x = p'' \cdot x'' = p'' \cdot x = 1$  and  $p \cdot x'' \geq 1$ . Therefore

$$(3) \quad 0 \geq p \cdot x + p'' \cdot x'' - p \cdot x'' - p'' \cdot x = (p - p'') \cdot (x - x'') = \\ (p_1 - p''_1) \cdot (x_1 - x''_1) + (p_2 - p''_2) \cdot (x_2 - x''_2).$$

Since  $p''_1 \geq p'_1 > p_1$  and  $p'' \cdot x = p \cdot x$  we get from Lemma 5.1 that  $p''_2 \leq p_2$ . Assume, by way of contradiction, that  $x''_2 < x_2$ . Then, since  $p'' \cdot x'' = p'' \cdot x$  and  $p'' \gg 0$  it follows from Lemma 5.1 that  $x_1 < x''_1$ , in which case the sum in the right hand side of (3) is strictly positive (since  $p''_2 \leq p_2$ ,  $p''_1 > p_1$ ,  $x''_2 < x_2$  and  $x_1 < x''_1$ ), which leads



to a contradiction. It follows that  $x''_2 \geq x_2$ , i.e.  $D(p'')_2 \geq D(p)_2$ . By monotonicity of  $D$  it follows that  $D(p') \geq D(p'')$ . Hence

$$D(p')_2 \geq D(p'')_2 > D(p)_2,$$

as desired.

**5.3. The conditions are sufficient.** A *data point* is given by a pair  $(p, x) \in \mathbb{R}_{++}^2 \times \mathbb{R}_+^2$  such that  $p \cdot x = 1$ .

**Definition 1.** A pair  $(p, x), (p', x') \in \mathbb{R}_{++}^2 \times \mathbb{R}_+^2$  of data points is permissible if the following conditions are satisfied:

- (1)  $(p \wedge p') \cdot (x \vee x') \leq 1$ .
- (2) If  $p' \cdot x \leq 1$  and  $p'_i > p_i$  for some product  $i \in \{1, 2\}$  then  $x'_j \geq x_j$  for  $j = 3 - i$ .
- (3) If  $p \cdot x' \leq 1$  and  $p_i > p'_i$  for some product  $i \in \{1, 2\}$  then  $x_j \geq x'_j$  for  $j = 3 - i$ .

Let us say that a partial demand function  $P : D \rightarrow \mathbb{R}_{++}^2$  is *permissible* if  $(p, D(p)), (p', D(p'))$  is a permissible pair for every  $p, p' \in P$ . Using this terminology, a partial demand function  $D : P \rightarrow \mathbb{R}_{++}^2$  satisfies the conditions of Theorem 1 iff it is permissible

Monotonicity is a consequence of permissibility:

**Lemma 5.8.** *If  $(p, x), (p', x') \in \mathbb{R}_{++}^2 \times \mathbb{R}_+^2$  is a permissible pair of data points and  $p \leq p'$  then  $x' \leq x$ .*

*Proof.* If  $p \leq p'$  then  $p \wedge p' = p$  and therefore it follows from Condition 1 of Definition 1 that  $p \cdot (x \vee x') \leq 1$ . But  $p \cdot x = 1$  and therefore

$$p \cdot (x \vee x' - x) = p \cdot (x \vee x') - p \cdot x \leq 0.$$

Since  $x \vee x' - x \geq 0$  it follows from the last inequality and Lemma 5.2 that  $x \vee x' - x = 0$ , i.e.  $x' \leq x$ , as desired. ■

The weak axiom of revealed preference is a consequence of permissibility:

**Lemma 5.9.** *If  $(p, x), (p', x') \in \mathbb{R}_{++}^2 \times \mathbb{R}_+^2$  is a permissible pair of data points and  $p' \cdot x < 1$  then  $p \cdot x' > 1$ .*

*Proof.* We show that  $p \cdot x' \leq 1$  implies  $p' \cdot x \geq 1$ . Assume that  $p \cdot x' \leq 1$ . If  $p' \geq p$  then  $p' \cdot x \geq p \cdot x = 1$  and we are done. Let  $p' \not\geq p$ . Assume without loss of generality that  $p_1 > p'_1$ . By Condition 3 of Definition 1 it follows that  $x_2 \geq x'_2$ . Also, since

$$(p - p') \cdot x' = p \cdot x' - p' \cdot x' \leq 0$$

and since  $x' > 0$  it follows from Lemma 5.2 that it cannot be the case that  $p - p' \gg 0$ . Therefore  $p_2 \leq p'_2$ . Let  $x'' \in \mathbb{R}_{++}^2$  be such that  $x''_2 = x'_2$  and  $p \cdot x'' = 1$ ; that is  $x'' = (X_1(p, x'_2), x'_2)$ ; note that  $X_1(p, x'_2)$  is well defined because  $p_2 x'_2 \leq p'_2 x'_2 \leq 1$ . Since  $p \cdot x' \leq 1 = p \cdot x''$  and  $x''_2 = x'_2$  it follows from Lemma 5.3 that  $x''_1 \geq x'_1$ . Therefore  $x'' \geq x'$ , and, in particular,  $p' \cdot x'' \geq p' \cdot x' \geq 1$ . Since  $x_2 \geq x'_2 = x''_2$  and  $p_2 \leq p'_2$  it follows from Lemma 5.6 that  $p' \cdot x \geq 1$  as desired. ■

The following lemma provides an equivalent characterization of permissible pairs. Unlike the previous characterization, here the roles of  $p$  and  $p'$  are not symmetric. For fixed  $p$  and  $p'$ , the lemma states the restrictions on  $x'$  (the demand at  $p'$ ) such that the pair  $(p, x), (p', x')$  is permissible assuming that  $x$  is already given. Recall Figure 3(a). From the lemma we see that every good induces one restriction on  $x'$ . If the good is cheaper for  $p'$  (as is the good that corresponds to the vertical axis in Figure 3(a)) then it induces an inequality of type 1 – an upper bound on the demand for that good. This is the line  $A$ – $A$  in the figure. If the good is more expensive for  $p'$  (as is the good that corresponds to the horizontal axis in Figure 3(a)) then it induces an inequality of type 2 or 3, depending on whether  $x$  is a possible consumption at the new price  $p'$ . In the figure, since  $x$  is not possible in the new price, we get an inequality of type 3 – an upper bound on the demand for that product. This is the line  $B$ – $B$  in the figure.

**Lemma 5.10.** *A pair  $(p, x), (p', x')$  is permissible iff the following conditions are satisfied for every product  $i \in \{1, 2\}$  and  $j = 3 - i$ .*

- (1) If  $p'_i \leq p_i$  then  $x'_i \leq X_i(p \wedge p', x_j)$ .
- (2) If  $p'_i > p_i$  and  $p' \cdot x \leq 1$  then  $x'_j \geq x_j$ .
- (3) If  $p'_i > p_i$  and  $p' \cdot x > 1$  then  $x'_i \leq x_i$ .

The proof of Lemma 5.10 requires some auxiliary results, presented here as Claims 5.12, 5.11, and 5.13.

**Claim 5.11.** *If  $(p, x), (p', x')$  is a pair of data points and  $(p \wedge p') \cdot (x \vee x') \leq 1$  then  $x'_i \leq X_i(p \wedge p', x_j)$*

*Proof.* Let  $i \in \{1, 2\}$  and  $j = 3 - i$ . Let  $y \in \mathbb{R}_{++}^2$  be such that  $y_j = x_j$  and  $y_i = x'_i$ . Then

$$(p \wedge p') \cdot y \leq (p \wedge p') \cdot (x' \vee x) \leq 1,$$

where the first inequality follows from the fact that  $y \leq x' \vee x$ . In particular, it follows from the last inequality and Lemma 5.5 that

$$x'_i = y_i \leq X_i(p \wedge p', y_j) = X_i(p \wedge p', x_j),$$

as desired. ■

**Claim 5.12.** *For every  $p, p' \in \mathbb{R}_{++}^2$  and  $x \in L(p)$  the set of all  $x' \in L(p')$  such that  $(p \wedge p') \cdot (x \vee x') \leq 1$  is a subinterval of  $L(p')$*

*Proof.* The function  $x' \mapsto (p \wedge p') \cdot (x \vee x')$  is concave since the inner product is monotone and linear and since

$$x \vee (\lambda \alpha + (1 - \lambda) \beta) \leq \lambda(x \vee \alpha) + (1 - \lambda)(x \vee \beta)$$

for every  $\alpha, \beta \in \mathbb{R}_{++}^2$  and every  $0 \leq \lambda \leq 1$ . ■

**Claim 5.13.** *If  $(p, x), (p', x')$  is a permissible pair such that  $x_1 < x'_1$  and  $x_2 > x'_2$  then  $p_1 > p'_1$  and  $p_2 < p'_2$ .*

*Proof.* We show that any other possibility leads to a contradiction. Note first that Lemma 5.8 implies  $x \geq x'$  if  $p \leq p'$ , and  $x \leq x'$  if  $p \geq p'$ . Both cases contradict the hypotheses on  $x$  and  $x'$ .

Second, suppose that  $p_1 < p'_1$  and  $p_2 > p'_2$ . Consider the following three cases.

- If  $p' \cdot x \leq 1$ , then  $x'_2 \geq x_2$  by Condition 2 of Definition 1.
- If  $p \cdot x' \leq 1$ , then  $x_1 \geq x'_1$  by Condition 3 of Definition 1.
- If  $p' \cdot x > 1$  and  $p \cdot x' > 1$  then

$$0 < p \cdot x' + p' \cdot x - p \cdot x - p' \cdot x' = (p - p') \cdot (x' - x) = \\ (p_1 - p'_1) \cdot (x'_1 - x_1) + (p_2 - p'_2) \cdot (x'_2 - x_2) < 0$$

The first inequality follows from the fact that  $p \cdot x = p' \cdot x' = 1$  and  $p \cdot x', p' \cdot x > 1$ . The last inequality follows because, in each product, one multiplier is negative and one is positive.

All three cases contradict the hypotheses on  $x$  and  $x'$ . The only possibility left is  $p_1 > p'_1$  and  $p_2 < p'_2$ , as desired. ■

We now prove Lemma 5.10

*Proof.* We consider separately the possible positions of  $p, p', x$ , up to symmetry between the products.

*Case 1:*  $p \ll p'$ . We show first that the conditions in the lemma imply permissibility. Since  $p \ll p'$  then  $p' \cdot x = p \cdot x + (p' - p) \cdot x > 1$  (the inequality follows from Lemma 5.2) and, by Condition 3 in the lemma  $x' \leq x$ .

Since  $p \leq p', x' \leq x$  implies that  $(p \wedge p') \cdot (x \vee x') = p \cdot x = 1$ . So Condition 1 in the definition of permissibility is satisfied. In addition,  $x' \leq x$  implies that Condition 3 is satisfied. We show Condition 2: If  $p' \cdot x \leq 1$  and  $p'_i > p_i$ , then  $p \cdot x = 1$  implies that  $x'_i = x_i = 0$  and that  $p'_j = p_j$  for  $j = 3 - i$ . Then  $x'_2 = 1/p'_2 = 1/p_2 = x_2$ . So Condition 2 is satisfied.

Now we show that permissibility implies the conditions in the lemma. Condition 1 in the lemma follows from Claim 5.11. Condition 3 holds because Lemma 5.8 implies  $x' \leq x$ . Finally, Condition 2 follows from Condition 2 in the definition of permissibility.

*Case 2:*  $p' \leq p$ . For each  $i$ ,  $p'_i \leq p_i$ . So  $x'_i \leq X_i(p', x_j)$  by Condition 1 of the lemma, as  $p' = p' \wedge p$ . But  $x'_i = X_i(p', x'_j)$ , so  $X_i(p', x'_j) \leq X_i(p', x_j)$ . Since  $X_i$  is monotone decreasing in  $x_j$  (item 3 of Lemma 5.4),  $x_j \leq x'_j$ . This shows that  $x \leq x'$ . The rest of the argument is analogous to the previous case.

*Case 3:*  $p_1 < p'_1, p_2 > p'_2$  and  $p' \cdot x \leq 1$ . Let

$$A = \{x' \in L(p') \mid x'_2 \geq x_2, (p \wedge p') \cdot (x \vee x') \leq 1\}.$$

Note that  $A$  is the set of all  $x'$  such that the pair  $(p, x), (p', x')$  is permissible. Let

$$B = \{x' \in L(p') \mid x'_2 \geq x_2, x'_2 \leq X_2(p \wedge p', x_1)\}$$

be the set of all  $x'$  such that the pair  $(p, x), (p', x')$  satisfies the conditions of Lemma 5.10. We have to prove that  $A = B$ . From Claim 5.11 we get that  $A \subseteq B$ . For the other direction, note that the set  $B$  is the closed interval whose endpoints are the unique points  $y, z$  in  $L(p')$  such that  $y_2 = x_2$  and  $z_2 = X_2(p \wedge p', x_1)$ . Since, by Claim 5.12,  $A$  is an interval, it is sufficient to prove that  $y, z \in A$ .

Since  $p' \cdot x \leq 1$  it follows that  $x_1 \leq y_1$  and therefore  $x \leq y$  and  $x \vee y = y$  and therefore

$$(p \wedge p') \cdot (x \vee y) = (p \wedge p') \cdot y \leq p' \cdot y = 1,$$

and thus  $y \in A$ .

Now,

$$z_2 = X_2(p \wedge p', x_1) \geq X_2(p, x_1) = x_2 \text{ and}$$

$$z_1 = X_1(p', z_2) \leq X_1(p' \wedge p, z_2) = X_1(p' \wedge p, X_2(p' \wedge p, x_1)) = x_1,$$

where the inequalities follow from item 2 of Lemma 5.4. It follows that  $x \vee z = (x_1, z_2)$ . Since  $z_2 = X_2(p \wedge p', x_1)$  it follows that  $(p \wedge p') \cdot (x \vee z) = 1$  and therefore  $z \in A$ .

*Case 4:*  $p_1 < p'_1, p_2 > p'_2$  and  $p' \cdot x > 1$ . Note that, in this case, the conditions in the lemma are equivalent to  $x'_1 \leq x_1$  and  $x'_2 \leq X_2(p \wedge p', x_1)$ .

We show first that permissibility implies the latter conditions. We need to show that  $x'_1 \leq x_1$ , as Claim 5.11 gives  $x'_2 \leq X_2(p \wedge p', x_1)$ . First, if  $p \cdot x' \leq 1$  then by Condition 3 of the definition of permissibility  $x'_1 \leq x_1$ . Second, let  $p \cdot x' \not\leq 1$ . Then  $p' \cdot x > 1$  and  $p \cdot x' > 1$  imply  $x' \not\leq x$  and  $x \not\leq x'$ . Now,  $x'_1 > x_1$  and  $x'_2 < x_2$  imply, by Claim 5.13 that  $p'_1 < p_1$  and  $p'_2 > p_2$ . So it must be that  $x'_1 < x_1$  and  $x'_2 > x_2$ . Thus, either way we get that  $x'_1 \leq x_1$ .

We now show that the conditions imply permissibility. Let  $y = (x_1, X_2(p \wedge p', x_1))$ ; so  $(p \wedge p') \cdot y = 1$ . Note that  $x_2 = X_2(p, x_1) \leq X_2(p \wedge p', x_1)$ , so  $x \leq y$ . The conditions are equivalent to  $x' \leq y$ . So we obtain

$$(p \wedge p') \cdot (x \vee x') \leq (p \wedge p') \cdot (x \vee y) \leq (p \wedge p') \cdot y = 1.$$

Thus Condition 1 of the definition of permissibility is satisfied. Condition 2 in the definition follows from Condition 2 in the lemma. Finally, Condition 3 in the definition is satisfied since  $x'_1 \leq x_1$ . ■

The proof of Theorem 1 is based on the following lemma:

**Lemma 5.14.** *Let  $P$  be a finite subset of  $\mathbb{R}_{++}^2$  and let  $D : P \rightarrow \mathbb{R}_+^2$  be a permissible partial demand function. Let  $p' \in \mathbb{R}_{++}^2$ . Then  $D$  can be extended to a permissible partial demand function over  $P \cup \{p'\}$ .*

*Proof.* For  $p \in P$  and  $x = D(p)$  let  $\mathcal{A}(p)$  be the set of all  $x' \in L(p')$  such that the pair  $(p, x), (p', x')$  is permissible. We have to prove that  $\bigcap_{p \in P} \mathcal{A}(p)$  is nonempty. From Lemma 5.10,  $\mathcal{A}(p)$  is a sub-interval of  $L(p')$ . It is then sufficient to show that for any  $p^a$  and  $p^b$  in  $P$ ,  $\mathcal{A}(p^a) \cap \mathcal{A}(p^b) \neq \emptyset$ , as any collection of pairwise-intersecting intervals has nonempty intersection (an easy consequence of Helly's Theorem, for example see Rockafellar (1970), Corollary 21.3.2).

Thus we fix  $p^a$  and  $p^b$  in  $P$ . From Lemma 5.10,  $\mathcal{A}(p^a)$  and  $\mathcal{A}(p^b)$  are defined by a set of inequalities, one inequality for each product. We have to show that the intersection of the solution sets for these inequalities is nonempty. Note that two inequalities that correspond to the same products are always simultaneously satisfiable.

*Case 1:*  $p'_1 \leq p_1^a$  and  $p'_2 \leq p_2^b$ . Let  $y \in \mathbb{R}_{++}^2$  be given by  $y_1 = X_1(p^a \wedge p', x_2^a)$  and  $y_2 = X_2(p^b \wedge p', x_1^b)$ . We have to prove that  $L(p') \cap \{x' | x' \leq y\}$  is nonempty, or equivalently that  $p' \cdot y \geq 1$ . Indeed,

$$\begin{aligned}
p' \cdot y &= p'_1 \cdot y_1 + p'_2 \cdot y_2 \\
&= (p'_1 \wedge p_1^a) \cdot y_1 + (p'_2 \wedge p_2^b) \cdot y_2 \\
&= 2 - \sum_{(i,j) \in \{(a,2), (b,1)\}} (p'_j \wedge p_j^i) \cdot x_j^i \\
&\geq 2 - \sum_{(i,j) \in \{(a,2), (b,1)\}} (p_j^j \wedge p_j^i) \cdot (x_j^i \vee x_j^j) \\
&= 2 - (p^a \wedge p^b) \cdot (x^a \vee x^b) \\
&\geq 1.
\end{aligned}$$

The second equality above follows from the fact that  $p'_1 \leq p_1^a$  and  $p'_2 \leq p_2^b$ . The third equality follows from the fact that  $(y_1, x_2^a) \in L(p' \wedge p^a)$ , so  $(p'_1 \wedge p_1^a) \cdot y_1 = 1 - (p'_2 \wedge p_2^a) \cdot x_2^a$ , and similarly for  $(x_1^b, y_2)$ . The first inequality is because  $p'_1 \leq p_1^a$  and  $p'_2 \leq p_2^b$ . The last inequality is because  $(p^a, x^a), (p^b, x^b)$  is permissible.

*Case 2:*  $p'_1 > p_1^a$  and  $p' \cdot x^a \leq 1$ , while  $p'_2 > p_2^b$  and  $p' \cdot x^b \leq 1$ . Let  $y = (x_1^b, x_2^a)$ . We have to prove that  $L(p') \cap \{x' | x' \geq y\}$  is nonempty. Or, equivalently, that  $p' \cdot y \leq 1$ . If  $y \leq x^a$  or  $y \leq x^b$  then we are done. Suppose then that  $y \not\leq x^a$  and  $y \not\leq x^b$ ; hence that  $x_2^a > x_2^b$  and  $x_1^b > x_1^a$ . In this case it follows from Claim 5.13 that  $p_1^a > p_1^b$  and  $p_2^a < p_2^b$ . Since we assumed that  $p'_2 > p_2^b$  it follows that  $p'_2 > p_2^a$ . Since we assumed that  $p'_1 > p_1^a$  it follows that  $p' \gg p^a$ , which contradicts  $p' \cdot x^a \leq 1$  (since  $p^a \cdot x^a = 1$ ).

*Case 3:*  $p'_1 > p_1^a$  and  $p' \cdot x^a > 1$ , while  $p'_2 > p_2^b$  and  $p' \cdot x^b > 1$ . Let  $y = (x_1^a, x_2^b)$ . We prove that  $L(p') \cap \{x' | x' \leq y\}$  is nonempty. Or, equivalently, that  $p' \cdot y \geq 1$ . If  $y \geq x^a$  or  $y \geq x^b$  then we are done. Suppose then that  $y \not\geq x^a$  and  $y \not\geq x^b$ , so that  $x_2^a > x_2^b$  and  $x_1^b > x_1^a$ . In this case it follows from Claim 5.13 that  $p_1^a > p_1^b$  and

$p_2^a < p_2^b$ . Therefore  $p^a \wedge p^b = (p_1^b, p_2^a)$  and  $x^a \vee x^b = (x_1^b, x_2^a)$ . It follows that

$$\begin{aligned} p' \cdot y &= p'_1 \cdot y_1 + p'_2 \cdot y_2 \geq p_1^a \cdot x_1^a + p_2^b \cdot x_2^b = \\ &2 - p_1^b \cdot x_1^b - p_2^a \cdot x_2^a = 2 - (p^a \wedge p^b) \cdot (x^a \vee x^b) \geq 1, \end{aligned}$$

The first inequality follows from the assumption that  $p'_1 > p_1^a$  and  $p'_2 > p_2^b$ . The second equality follows from  $p^i \cdot x^i = 1$ ,  $i = a, b$ . The last inequality follows from permissibility (Condition 1 in Definition 1).

*Case 4:*  $p'_1 \leq p_1^a$  and  $p'_2 > p_2^b$  and  $p' \cdot x^b \leq 1$ . Note first that Lemma 5.7 implies  $p'_1 \leq p_1^b$ . We need there to exist  $x' \in L(p')$  with  $x'_1 \leq X_1(p^a \wedge p', x_2^a)$  and  $x'_1 \geq x_1^b$ . That is, we need  $x_1^b \leq X_1(p^a \wedge p', x_2^a)$ . Or, equivalently, that  $(p^a \wedge p') \cdot y \leq 1$  where  $y = (x_1^b, x_2^a)$ . If  $y \leq x^a$  then  $(p^a \wedge p') \cdot y \leq p^a \cdot x^a = 1$ . If  $y \leq x^b$  then  $(p^a \wedge p') \cdot y \leq p' \cdot x^b \leq 1$ . The only other possibility is that  $y > x^a$  and  $y > x^b$ , so that  $x_2^a > x_2^b$  and  $x_1^b > x_1^a$ . In this case it follows in particular from Claim 5.13 that  $p_2^a < p_2^b$ . Now,  $p'_1 \leq p_1^b$  implies that  $p^a \wedge p' \leq p^b$  and therefore  $p^a \wedge p' \leq p^a \wedge p^b$ . In addition, in this case,  $y = x^a \vee x^b$ . Therefore

$$(p^a \wedge p') \cdot y \leq (p^a \wedge p^b) \cdot (x^a \vee x^b) \leq 1$$

the last inequality follows from Condition 1 in Definition 1

*Case 5:*  $p'_1 \leq p_1^a$  and  $p'_2 > p_2^b$  and  $p' \cdot x^b > 1$ . Let  $y_1 = X_1(p^a \wedge p', x_2^a)$  and  $y_2 = x_2^b$ . We have to prove that the set  $L(p') \cap \{x' | x' \leq y\}$  is nonempty, or equivalently that  $p' \cdot y \geq 1$ . If  $x_1^a \geq x_1^b$  then  $y \geq x^b$  (since  $y_1 = X_1(p^a \wedge p', x_2^a) \geq X_1(p^a, x_2^a) = x_1^a$ ) and, in particular,  $p' \cdot y \geq p' \cdot x^b \geq 1$ . If  $x_2^b \geq x_2^a$  then  $y_2 \geq X_2(p^a \wedge p', y_1)$  (Since, by Lemma 5.4,  $X_2(p^a \wedge p', y_1) = x_2^a$ ) and therefore  $p' \cdot y \geq (p^a \wedge p') \cdot y \geq 1$ . The only other possibility is that  $x_2^a > x_2^b$  and  $x_1^b > x_1^a$ . In this case it follows from Claim 5.13 that  $p_2^a < p_2^b$  and  $p_1^a > p_1^b$ . So  $p^a \wedge p^b = (p_1^b, p_2^a)$ , and, since  $p'_2 > p_2^b$ ,  $p'_2 > p_2^a$ . Now,

$$\begin{aligned} p' \cdot y &\geq (p'_1, p_2^b) \cdot (y_1, y_2) = \\ &(p_1^b, p_2^b) \cdot (x_1^b, y_2) + (p'_1, p_2^a) \cdot (y_1, x_2^a) - (p_1^b, p_2^a) \cdot (x_1^b, x_2^a) \geq 1. \end{aligned}$$



Where the last inequality follows from the following observations:

$$(p_1^b, p_2^b) \cdot (x_1^b, y_2) = p^b \cdot x^b = 1.$$

$$(p_1^a, p_2^a) \cdot (y_1, x_2^a) = (p^a \wedge p') \cdot (y_1, x_2^a) = 1 \text{ since } y_1 = X_1(p^a \wedge p', x_2^a).$$

$$(p_1^b, p_2^a) \cdot (x_1^b, x_2^a) = (p^a \wedge p^b) \cdot (x^a \vee x^b) \leq 1$$

The last equality follows from  $(p_1^b, p_2^a) = (p^a \wedge p^b)$ , as we established above. The inequality follows from permissibility.

*Case 6:*  $p'_1 > p_1^a$  and  $p' \cdot x^a \leq 1$  and  $p'_2 > p_2^b$  and  $p' \cdot x^b > 1$ . We have to prove that  $x_2^a \leq x_2^b$ . Indeed, from Lemma 5.7 it follows that  $p'_2 \leq p_2^a$ . Thus  $p_2^a > p_2^b$ . If  $p^a \cdot x^b > 1$  then by Condition 3 of Lemma 5.10  $x_2^a \leq x_2^b$ , as desired. If  $p^a \cdot x^b < 1$  then, since  $p_2^a > p_2^b$ , it follows from Condition 2 of Definition 1 that  $x_1^a \geq x_1^b$ . Since  $p' \cdot x^a \leq 1 < p' \cdot x^b$  it follows from Lemma 5.3 that  $x_2^a \leq x_2^b$ , as desired. ■

Finally, we complete the proof of Theorem 1. Let  $P$  be a finite subset of  $\mathbb{R}_{++}^2$  and let  $D : P \rightarrow \mathbb{R}_+^2$  be a partial demand function that satisfies the conditions of the theorem, i.e. such that the pair  $(p, D(p)), (p', D(p'))$  is permissible for every  $p, p' \in P$ . Let  $Q$  be a countable dense subset of  $\mathbb{R}_{++}^2$  that contains  $P$ . By Lemma 5.14,  $D$  can be extended to a function  $D : Q \rightarrow \mathbb{R}_+^2$  such that for every  $p, p' \in Q$  the pair  $(p, D(p)), (p', D(p'))$  is permissible.

In particular, by Lemma 5.8,  $D$  is monotone on  $Q$ . Extend  $D$  to  $\mathbb{R}_{++}^2$  by defining  $\tilde{D}(p) = \bigwedge_{q \in Q, q \leq p} D(q)$  for every  $p \in \mathbb{R}_{++}^2$ . Since  $D$  is monotone, it follows that  $\tilde{D}(p) = D(p)$  for  $p \in Q$  and that  $\tilde{D}$  is monotone. Since  $p \cdot D(p) = 1$  for  $p \in Q$  it follows that  $p \cdot \tilde{D}(p) = 1$  for  $p \in \mathbb{R}_{++}^2$ . That is, for all  $q \in Q, q \leq p, q \cdot \tilde{D}(p) \leq q \cdot D(q) = 1$ , so that in the limit,  $p \cdot \tilde{D}(p) \leq 1$ . If, in fact,  $p \cdot \tilde{D}(p) < 1$ , then there exists  $q \in Q, q \leq p$  such that  $p \cdot D(q) < 1$ ; from which we conclude that  $q \cdot D(q) \leq q \cdot D(p) < 1$ , a contradiction. Therefore,  $p \cdot \tilde{D}(p) = 1$ .

The following lemma is useful here and in Section 5.4

**Lemma 5.15.** *If a demand function satisfies complementarity, then it is continuous.*

*Proof.* Let  $p^* \in \mathbb{R}_{++}^2$  and  $\{p^n\}_{n=1}^\infty \subseteq \mathbb{R}_{++}^2$  such that  $p^n \rightarrow p^*$ . First consider the case in which for all  $n, p^n \leq p^*$ . In particular, for all  $n, D(p^n) \geq D(p^*)$ . Let  $\varepsilon > 0$ ;

we wish to show that there exists some  $N$  such that for all  $i = 1, 2$ ,  $n \geq N$  implies  $D_i(p^n) < D_i(p^*) + \varepsilon$ . Suppose that there exists no such  $N$  and without loss of generality suppose that  $D_1(p^{n_k}) > D_1(p^*) + \varepsilon$  for some subsequence. The equality  $p_1^{n_k} D_1(p^{n_k}) + p_2^{n_k} D_2(p^{n_k}) = 1$  implies that

$$\begin{aligned} D_2(p^*) \leq D_2(p^{n_k}) &= \frac{1 - p_1^{n_k} D_1(p^{n_k})}{p_2^{n_k}} \\ &< \frac{1 - p_1^{n_k} (D_1(p^*) + \varepsilon)}{p_2^{n_k}}. \end{aligned}$$

Hence, in the limit we have

$$D_2(p^*) \leq \frac{1 - p_1^* (D_1(p^*) + \varepsilon)}{p_2^*}.$$

But then

$$p_1^* D_1(p^*) + p_2^* D_2(p^*) \leq 1 - p_1^* \varepsilon < 1,$$

contradicting that  $D$  is a demand function.

A similar argument holds for  $p^n \geq p^*$ .

Now suppose that  $p^n$  is arbitrary. By monotonicity, we have

$$D(p^* \vee p^n) \leq D(p^n) \leq D(p^* \wedge p^n),$$

and as  $p^* \vee p^n \rightarrow p^*$  and  $p^* \wedge p^n \rightarrow p^*$ , we conclude that  $D(p^n) \rightarrow D(p^*)$ . ■

It remains to show that  $\tilde{D}$  is rationalizable by a monotone increasing utility. We establish that  $\tilde{D}$  satisfies the weak axiom so it is rationalizable. Then the results in Section 5.4 imply the result (and more).

First note that, by Lemma 5.15,  $\tilde{D}$  is continuous. We show that  $\tilde{D}$  satisfies the weak axiom. Suppose by means of contradiction that there exists  $p, p'$  such that  $p \cdot \tilde{D}(p') < 1$  and  $p' \cdot \tilde{D}(p) \leq 1$ . By monotonicity and continuity of  $\tilde{D}$ , we may therefore find  $q \in Q$ ,  $q \ll p'$  such that  $p \cdot \tilde{D}(q) < 1$  and  $q \cdot \tilde{D}(p) < 1$ . By continuity, there exists  $q' \in Q$  such that  $q' \cdot \tilde{D}(q) < 1$  and  $q \cdot \tilde{D}(q') < 1$ . However, Lemma 5.9 implies that  $\tilde{D}$  satisfies the axiom on  $Q$ , a contradiction.

**5.4. Proof of Theorem 2.** The proof of the theorem follows from Mas-Colell (1978), Theorem 1, using the fact that  $D$  is continuous (Lemma 5.15) and rationalizable. Note that, while Mas Colell assumes throughout that demand is strictly positive (that is, for all  $p \in \mathbb{R}_{++}^2$ ,  $D(p) \in \mathbb{R}_{++}^2$ ), this is not necessary for the proof of Theorem 1 and only plays a role in his characterization of Lipschitzian demands and preferences.<sup>7</sup>

## REFERENCES

- AFRIAT, S. N. (1967): “The Construction of Utility Functions from Expenditure Data,” *International Economic Review*, 8(1), 67–77.
- BROWN, D. J., AND C. CALSAMIGLIA (2007): “The Nonparametric Approach to Applied Welfare Analysis,” *Economic Theory*, 31(1), 183–188.
- CHAMBERS, C. P., AND F. ECHENIQUE (2008): “Supermodularity and Preferences,” Forthcoming, *Journal of Economic Theory*.
- DEATON, A. S. (1974): “The Analysis of Consumer Demand in the United Kingdom, 1900-1970,” *Econometrica*, 42(2), 341–367.
- DEATON, A. S., AND J. MUELLBAUER (1980): *Economics and Consumer Behavior*. Cambridge University Press, Cambridge, UK.
- DIWERT, W. E., AND C. PARKAN (1983): “Linear programming tests of regularity conditions for production functions,” in *Quantitative Studies on Production and Prices*, ed. by W. Eichhorn, R. Henn, K. Neumann, and R. Shephard, pp. 131–158. Physica-Verlag, Vienna.
- EPSTEIN, L. G. (1981): “Generalized Duality and Integrability,” *Econometrica*, 49(3), 655–678.
- FISHER, F. M. (1972): “Gross substitutes and the utility function,” *Journal of Economic Theory*, 4(1), 82–87.
- FORGES, F., AND E. MINELLI (2008): “Afriat’s Theorem for General Budget Sets,” Forthcoming, *Journal of Economic Theory*.

---

<sup>7</sup>The working paper version of our paper provides a complete proof of this result.

- HICKS, J. R. (1939): *Value and Capital*. Oxford: Clarendon Press.
- HICKS, J. R., AND R. G. D. ALLEN (1934): “A Reconsideration of the Theory of Value. Part I,” *Economica*, 1(1), 52–76.
- HURWICZ, L., AND M. K. RICHTER (1971): “Revealed Preference Without Demand Continuity Assumptions,” in *Preferences, Utility and Demand*, ed. by J. S. Chipman, L. Hurwicz, M. K. Richter, and H. F. Sonnenschein, pp. 59–80. Harcourt Brace Jovanovic Inc.
- JEHLE, G. A., AND P. J. RENY (2000): *Advanced Microeconomic Theory*. Addison Wesley, Boston, MA.
- KRUGMAN, P., AND R. WELLS (2006): *Economics*. Worth Publishers, New York, NY.
- LEWBEL, A. (1996): “Aggregation Without Separability: A Generalized Composite Commodity Theorem,” *American Economic Review*, 86(3), 524–543.
- MAS-COLELL, A. (1978): “On Revealed Preference Analysis,” *The Review of Economic Studies*, 45(1), 121–131.
- MATZKIN, R. L. (1991): “Axioms of Revealed Preference for Nonlinear Choice Sets,” *Econometrica*, 59(6), 1779–1786.
- MCAFEE, R. P. (2006): *Introduction to Economic Analysis*. Open Source Textbook, California Institute of Technology.
- MILGROM, P., AND C. SHANNON (1994): “Monotone Comparative Statics,” *Econometrica*, 62(1), 157–180.
- NICHOLSON, W., AND C. M. SNYDER (2006): *Intermediate Microeconomics and Its Application*. South-Western College Pub.
- QUAH, J. K.-H. (2003): “The Law of Demand and Risk Aversion,” *Econometrica*, 71(2), 713–721.
- (2007): “The Comparative Statics of Constrained Optimization Problems,” *Econometrica*, 75(2), 401–431.
- RICHTER, M. K. (1971): “Rational Choice,” in *Preferences, Utility and Demand*, ed. by J. S. Chipman, L. Hurwicz, M. K. Richter, and H. F. Sonnenschein, pp.

- 29–58. Harcourt Brace Jovanivc Inc.
- ROCKAFELLAR, R. T. (1970): *Convex analysis*. Princeton University Press, Princeton, N.J.
- ROSE, H. (1958): “Consistency of Preference: The Two-Commodity Case,” *The Review of Economic Studies*, 25(2), 124–125.
- SAMUELSON, P. A. (1947): *Foundations of Economic Analysis*. Harvard Univ. Press.
- (1974): “Complementarity: An Essay on The 40th Anniversary of the Hicks-Allen Revolution in Demand Theory,” *Journal of Economic Literature*, 12(4), 1255–1289.
- STIGLITZ, J. E., AND C. WALSH (2003): *Economics*. W. W. Norton & Co. Ltd., New York, NY.
- VARIAN, H. R. (1982): “The Nonparametric Approach to Demand Analysis,” *Econometrica*, 50(4), 945–974.
- (1983): “Non-Parametric Tests of Consumer Behaviour,” *Review of Economic Studies*, 50(1), 99–110.
- (1985): “Additive Utility And Gross Substitutes,” mimeo, University of Michigan.
- (1992): *Microeconomic Analysis*. W. W. Norton, New York, NY.
- (2005): *Intermediate Microeconomics: A Modern Approach*. W. W. Norton & Co. Inc., New York, NY.
- WALD, A. (1951): “On Some Systems of Equations of Mathematical Economics,” *Econometrica*, 19(4), 368–403.